

OIPE

RAW SEQUENCE LISTING DATE: 07/07/2001 PATENT APPLICATION: US/09/888,326 TIME: 13:05:59

Input Set : A:\Cl0397052.TXT

Output Set: N:\CRF3\07062001\1888326.raw

```
4 <110> APPLICANT: Weiner, George
              Hartmann, Gunther
      7 <120> TITLE OF INVENTION: Methods for Enhancing Antibody-Induced
              Cell Lysis and Treating Cancer
     11 <130> FILE REFERENCE: C1039/7052 (AWS)
C--> 13 <140> CURRENT APPLICATION NUMBER: US/09/888,326
C--> 13 <141> CURRENT FILING DATE: 2001-06-22
     13 <150> PRIOR APPLICATION NUMBER: US 60/213,346
                                                                 ENTERED
See page 5
     14 <151> PRIOR FILING DATE: 2000-06-22
     16 < 160 > NUMBER OF SEQ ID NOS: 848
     18 <170> SOFTWARE: FastSEQ for Windows Version 3.0
     20 <210> SEQ ID NO: 1
     21 <211> LENGTH: 6
     22 <212> TYPE: DNA
     23 <213> ORGANISM: Artificial Sequence
     25 <220> FEATURE:
     26 <223> OTHER INFORMATION: Synthetic oligonucleotide
     28 <221> NAME/KEY: misc_feature
     29 <222> LOCATION: (0)...(0)
     30 <223> OTHER INFORMATION: phosphorothioate backbone
     32 <400> SEQUENCE: 1
     33 aaaaaa
     35 <210> SEQ ID NO: 2
     36 <211> LENGTH: 20
     37 <212> TYPE: DNA
     38 <213> ORGANISM: Artificial Sequence
     40 <220> FEATURE:
     41 <223> OTHER INFORMATION: Synthetic oligonucleotide
     43 <221> NAME/KEY: misc_feature
     44 <222> LOCATION: (0)...(0)
     45 <223> OTHER INFORMATION: phosphodiester backbone
     47 <400> SEQUENCE: 2
                                                                                  20
     48 aaaaaaaaaa aaaaaaaaaa
     50 <210> SEQ ID NO: 3
     51 <211> LENGTH: 20
     52 <212> TYPE: DNA
     53 <213> ORGANISM: Artificial Sequence
     55 <220> FEATURE:
     56 <223> OTHER INFORMATION: Synthetic oligonucleotide
     58 <221> NAME/KEY: misc_feature
     59 <222> LOCATION: (0)...(0)
     60 <223> OTHER INFORMATION: phosphodiester backbone
     62 <400> SEQUENCE: 3
                                                                                 20
     63 aaaaaccccc cccccaaaaa
     65 <210> SEQ ID NO: 4
     66 <211> LENGTH: 20
```

67 <212> TYPE: DNA



PATENT APPLICATION: US/09/888,326

DATE: 07/07/2001 TIME: 13:05:59

Input Set : A:\C10397052.TXT

Output Set: N:\CRF3\07062001\1888326.raw

- 68 <213> ORGANISM: Artificial Sequence
- 70 <220> FEATURE:
- 71 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 73 <221> NAME/KEY: misc_feature
- 74 <222> LOCATION: (0)...(0)
- 75 <223> OTHER INFORMATION: Chimeric phosphorothioate/phosphodiester backbone
- with phosphorothicate at 5' and 3' ends
- 78 <400> SEQUENCE: 4
- 79 aaaacatgac gttcaaaaaa

- 81 <210> SEQ ID NO: 5
- 82 <211> LENGTH: 20
- 83 <212> TYPE: DNA
- 84 <213> ORGANISM: Artificial Sequence
- 86 <220> FEATURE:
- 87 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 89 <221> NAME/KEY: misc_feature
- 90 <222> LOCATION: (0)...(0)
- 91 <223> OTHER INFORMATION: phosphorodithioate backbone
- 93 <400> SEQUENCE: 5
- 94 aaaacatgac gttcaaaaaa

20

20

- 96 <210> SEQ ID NO: 6
- 97 <211> LENGTH: 20
- 98 <212> TYPE: DNA
- 99 <213> ORGANISM: Artificial Sequence
- 101 <220> FEATURE:
- 102 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 104 <221> NAME/KEY: misc_feature
- 105 <222> LOCATION: (0)...(0)
- 106 <223> OTHER INFORMATION: chimeric phosphorothioate/phosphodiester backbone
- 107 with phosphorothioate at 5' and 3' ends
- 109 <400> SEQUENCE: 6
- 110 aaaacatgac gttcgggggg

20

20

- 112 <210> SEQ ID NO: 7
- 113 <211> LENGTH: 20
- 114 <212> TYPE: DNA
- 115 <213> ORGANISM: Artificial Sequence
- 117 <220> FEATURE:
- 118 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 120 <221> NAME/KEY: misc_feature
- 121 <222> LOCATION: (0)...(0)
- 122 <223> OTHER INFORMATION: phosphorodithioate backbone
- 124 <400> SEQUENCE: 7
- 125 aaaacatgac gttcgggggg
- 127 <210> SEQ ID NO: 8
- 128 <211> LENGTH: 8
- 129 <212> TYPE: DNA
- 130 <213> ORGANISM: Artificial Sequence
- 132 <220> FEATURE:
- 133 <223> OTHER INFORMATION: Synthetic oligonucleotide

20

21

20

RAW SEQUENCE LISTING

DATE: 07/07/2001 TIME: 13:05:59

PATENT APPLICATION: US/09/888,326

Input Set : A:\C10397052.TXT

Output Set: N:\CRF3\07062001\I888326.raw

- 135 <221> NAME/KEY: misc_feature
- 136 <222> LOCATION: (0)...(0)
- 137 <223> OTHER INFORMATION: phosphodiester backbone
- 139 <400> SEQUENCE: 8
- 140 aaaacgtt
- 142 <210> SEQ ID NO: 9
- 143 <211> LENGTH: 20
- 144 <212> TYPE: DNA
- 145 <213> ORGANISM: Artificial Sequence
- 147 <220> FEATURE:
- 148 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 150 <221> NAME/KEY: misc_feature
- 151 <222> LOCATION: (0)...(0)
- 152 <223> OTHER INFORMATION: chimeric phosphorothioate/phosphodiester backbone
- with phosphorothioate at 5' and 3' ends
- 155 <400> SEQUENCE: 9
- 156 aaaatcaacg ttgaaaaaa
- 158 <210> SEQ ID NO: 10
- 159 <211> LENGTH: 21
- 160 <212> TYPE: DNA
- 161 <213> ORGANISM: Artificial Sequence
- 163 <220> FEATURE:
- 164 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 166 <221> NAME/KEY: misc_feature
- 167 <222> LOCATION: (0)...(0)
- 168 <223> OTHER INFORMATION: chimeric phosphorothioate/phosphodiester backbone
- with phosphorothicate at 5' and 3' ends
- 171 <400> SEQUENCE: 10
- 172 aaaatctgtg cttttaaaaa a
- 174 <210> SEQ ID NO: 11
- 175 <211> LENGTH: 20
- 176 <212> TYPE: DNA
- 177 <213> ORGANISM: Artificial Sequence
- 179 <220> FEATURE:
- 180 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 182 <221> NAME/KEY: misc_feature
- 183 <222> LOCATION: (0)...(0)
- $184 <\!\! 223 \!\!> \mathtt{OTHER} \ \mathtt{INFORMATION:} \ \mathtt{chimeric} \ \mathtt{phosphorothioate/phosphodiester} \ \mathtt{backbone}$
- 185 with phosphorothioate at 5' and 3' ends
- 187 <400> SEQUENCE: 11
- 188 aaaattgacg ttttaaaaaa
- 190 <210> SEQ ID NO: 12
- 191 <211> LENGTH: 33
- 192 <212> TYPE: DNA
- 193 <213> ORGANISM: Artificial Sequence
- 195 <220> FEATURE:
- 196 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 198 <221> NAME/KEY: misc_feature
- 199 <222> LOCATION: (0)...(0)



DATE: 07/07/2001 TIME: 13:05:59 PATENT APPLICATION: US/09/888,326

Input Set : A:\C10397052.TXT

Output Set: N:\CRF3\07062001\1888326.raw

	<223> OTHER INFORMATION: phosphodiester backbone		
	<400> SEQUENCE: 12		
	aaacattctg ggggaatttt aagaagtaaa cat		33
	<210> SEQ ID NO: 13		
	<211> LENGTH: 39		
	<212> TYPE: DNA		
	<213> ORGANISM: Artificial Sequence		
	<220> FEATURE:		
	<223> OTHER INFORMATION: Synthetic oligonucleotide		
	<221> NAME/KEY: misc_feature		
	<222> LOCATION: (0)(0) <223> OTHER INFORMATION: phosphodiester backbone		
	<pre><223> OTHER INFORMATION: phosphodiester backbone <400> SEQUENCE: 13</pre>		
	aaacattctg ggggaatttt aagaagttcc tccctcccc		39
	<210> SEQ ID NO: 14		3,5
	<211> LENGTH: 33		
	<212> TYPE: DNA		
	<213> ORGANISM: Artificial Sequence		
	<220> FEATURE:		
	<223> OTHER INFORMATION: Synthetic oligonucleotide		
	<221> NAME/KEY: misc_feature		
	<222> LOCATION: (0)(0)		
	<223> OTHER INFORMATION: phosphodiester backbone		
	<400> SEQUENCE: 14		
	aaacattctg ggggaatttt gtctagtaaa cat		33
	<210> SEQ ID NO: 15		
	<211> LENGTH: 17		
237	<212> TYPE: DNA		
238	<213> ORGANISM: Artificial Sequence		
240	<220> FEATURE:		
241	<223> OTHER INFORMATION: Synthetic oligonucleotide		٠
243	<221> NAME/KEY: misc_feature	w."	
	<222> LOCATION: (0)(0)	٠.	
245	<223> OTHER INFORMATION: phosphodiester backbone		
	<400> SEQUENCE: 15		
	aacgctcgac cttcgat		17
	<210> SEQ ID NO: 16		
	<211> LENGTH: 17		
	<212> TYPE: DNA		
	<213> ORGANISM: Artificial Sequence		
	<220> FEATURE:		
	<223> OTHER INFORMATION: Synthetic oligonucleotide		
	<221> NAME/KEY: misc_feature		
	<222> LOCATION: (0)(0)		
	<223> OTHER INFORMATION: phosphodiester backbone		
	<400> SEQUENCE: 16		17
	aacgctggac cttccat		17
	<210> SEQ ID NO: 17		
266	<211> LENGTH: 20		

20

7

RAW SEQUENCE LISTING

DATE: 07/07/2001 TIME: 13:05:59

PATENT APPLICATION: US/09/888,326

Input Set : A:\C10397052.TXT

Output Set: N:\CRF3\07062001\I888326.raw

- 267 <212> TYPE: DNA
- 268 <213> ORGANISM: Artificial Sequence
- 270 <220> FEATURE:
- 271 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 273 <221> NAME/KEY: misc_feature
- 274 <222> LOCATION: (0)...(0)
- 275 <223> OTHER INFORMATION: chimeric phosphorothioate/phosphodiester backbone
- with phosphorothicate at 5' and 3' ends
- 278 <400> SEQUENCE: 17
- 279 aacgctggac cttccatgtc
- 281 <210> SEQ ID NO: 18
- 282 <211> LENGTH: 6
- 283 <212> TYPE: DNA
- 284 <213> ORGANISM: Artificial Sequence
- 286 <220> FEATURE:
- 287 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 289 <221> NAME/KEY: misc_feature
- 290 <222> LOCATION: (0)...(0)
- 291 <223> OTHER INFORMATION: phosphodiester backbone
- 293 <400> SEQUENCE: 18
- 294 aacgtt
- 296 <210> SEQ ID NO: 19
- 297 <211> LENGTH: 8
- 298 <212> TYPE: DNA
- 299 <213> ORGANISM: Artificial Sequence
- 301 <220> FEATURE:
- 302 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 304 <221> NAME/KEY: misc_feature
- 305 <222> LOCATION: (0)...(0)
- 306 <223> OTHER INFORMATION: phosphodiester backbone
- 308 <400> SEQUENCE: 19
- 309 aacgttct
- 311 <210> SEQ ID NO: 20
- 312 <211> LENGTH: 7
- 313 <212> TYPE: DNA
- 314 <213> ORGANISM: Artificial Sequence
- 316 <220> FEATURE:
- 317 <223> OTHER INFORMATION: Synthetic oligonucleotide
- 319 <221> NAME/KEY: misc_feature
- 320 <222> LOCATION: (0)...(0)
- 321 <223> OTHER INFORMATION: phosphorothioate backbone
- 323 <400> SEQUENCE: 20
- 324 aacgttg
- 326 <210> SEQ ID NO: 21
- 327 <211> LENGTH: 8
- 328 <212> TYPE: DNA
- 329 <213> ORGANISM: Artificial Sequence
- 331 <220> FEATURE:
- 332 <223> OTHER INFORMATION: Synthetic oligonucleotide



Use of 'n' and/or 'Xaa' has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using 'n' or 'Xaa'.

VERIFICATION SUMMARY

DATE: 07/07/2001 TIME: 13:06:00 PATENT APPLICATION: US/09/888,326

Input Set : A:\C10397052.TXT

Output Set: N:\CRF3\07062001\1888326.raw

L:13 M:270 C: Current Application Number differs, Replaced Current Application No

L:13 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:1031 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 L:1335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 L:1415 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 L:1745 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:116 L:1772 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:117 L:1852 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:121 L:1875 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:122 L:1917 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:124 L:3904 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:258 L:4428 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:294 L:4477 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:297 L:4564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:302 L:4908 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:325 L:5353 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:355 L:5564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:369 L:5703 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:378 L:5722 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:379 L:5812 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:385 L:7008 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:467 L:7180 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:479 L:7215 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:480 L:7641 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:508 L:7664 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:509 L:7875 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:523 L:8614 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:572 L:8723 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:579 L:8757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:581 L:8776 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:582 L:8799 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:583 L:9145 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:606 L:9327 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:618 L:9346 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:619 L:9365 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:620 L:9388 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:621 L:9943 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:658 L:10172 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:673 L:10801 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:714 L:11213 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:741 L:11228 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:742 L:11701 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:773 L:12709 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:843 L:12728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:844 L:12747 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:845 L:12766 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:846 L:12797 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:847 L:12828 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:848